



Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461



Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/773-774

Order No : 2025-2026/Jhunjhnu/14604

Dispatch Date: Sep 17 2025 6:13PM

Unit Id : 116070

M/s Dhani Devi Laxman Ram Hospital (A Unit of Vivekanand Vidya Ashram Sanstha)

Katar Chhoti , KatarChhoti Tehsil:Bidasar

District:Churu

Sub: **Consent to Establish** under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974.

Ref: Your application(s) for Consent to Establish dated 08/08/2025 and subsequent correspondence.

Sir,

Consent to Establish under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) as amended to date and rules & the orders issued thereunder ,is **hereby granted** for your **DHANI DEVI LAXMAN RAM HOSPITAL plant** situated / proposed at **Katar Chhoti Katar Chhoti Tehsil:Bidasar District:Churu** , Rajasthan under the provisions of the said Act(s). This consent is granted on the basis of examination of the information furnished by you in consent application(s) and the documents submitted therewith, subject to the following conditions:-

- 1 That this Consent to Establish is valid for a period from **08/08/2025** to **31/07/2030** or **date of commencement of production / commissioning of the project or activities whichever is earlier** .
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below:

Particular	Type	Quantity / Capacity
Hospital	Service	60.00 BEDS

- 3 That in case of any increase in capacity or addition / modification / alteration or change in product mix or process or raw material or fuel, the project proponent is required to obtain fresh consent to establish.
- 4 That the control equipment as proposed by the applicant shall be installed before trial operation is started for which prior consent to operate under the provision of the **Water Act** shall be obtained. This consent to establish shall not be treated as consent to operate.

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 13:25 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/773-774

Order No : 2025-2026/Jhunjhnu/14604

Dispatch Date: Sep 17 2025 6:13PM

Unit Id : 116070

- 5 That the quantity of effluent generation and disposal along with mode of disposal for the treated effluent shall be as under:

Type of effluent	Max. effluent generation (KLD)	Quantity of effluent to be recycled (KLD)	Quantity of treated effluent to be disposed (KLD) and mode of disposal
Domestic Sewage	16.800	NIL	16.800 STP/CSTP/Plantation & Horticulture after pre treatment

- 6 That the Domestic Sewage shall be treated before disposal so as to conform to the standards prescribed by the Board as notified under the Environment (Protection) Act-1986 for disposal **Into Inland Surface Water**. The main parameters for regular monitoring shall be as under:

Parameters	Standards
Total Suspended Solids	Not to exceed 100 mg/l
Oil and Grease	Not to exceed 10 mg/l
Biochemical Oxygen Demand (3 days at 27°C)	Not to exceed 30 mg/l
pH Value	Between 6.5 to 9.0
Bio-assay Test	Minimum 90% survival after 96 hours with at 100% effluent
Chemical Oxygen Demand	Not to exceed 250 mg/l

- 7 It may be clarified that if hospital activities are carried on without valid consent of the Board, it would be treated as violation of the provisions of Environment Protection Act-1986.
- 8 That the unit shall install STP (sewerage treatment plant) of 65 KLD capacity for treatment of domestic waste water generated from hospital utilities if required.

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 06:13:25 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/773-774

Order No : 2025-2026/Jhunjhnu/14604

Dispatch Date: Sep 17 2025 6:13PM

Unit Id : 116070

- 9 This consent to establish is being issued on the basis of validity of membership of CBMWTF.
- 10 The unit shall be inspected by the Board Officials to check the compliance & the bed capacity of the Hospital/HCF. If any non-compliance is found the BMW authorization/ CTO may be revoked.
- 11 That the hospital shall install adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand buckets, fire alarm, Water sprinklers, etc.) at salient places within the premises of the hospital, even at the bio-medical storage area, in accordance with the fire safety regulations and submit a certificate of the competent authority in this respect to this office.
- 12 That the Hospital/HCF shall not dig/install any bore well for the abstraction of Groundwater without prior permission from Central Ground Water Authority.
- 13 That suitable flow measuring devices/meters on the intake source of water shall be installed and records shall be maintained for the same.
- 14 That the HCF shall complied the Head office letter no F.14(5-Adm)Project/RSPCB/1 dated, 13.4.2024 as applicable.
- 15 That the total bedded capacity of the hospital shall not exceed 180 beds for which Consent to establish under water act has been issued for 100 beds by letter No. F(Tech)/Churu(Bidasar)/7(1)/2021-2022/737-738 dated 24.12.2021, for 20 beds by letter No. F(BMW)/Churu(Bidasar)/2(1)/2021-2022/1054-1056 dated 05.07.2022 and for remaining 60 beds by this letter.
- 16 That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained **Section 27(2) of the Water Act** to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of compliance of the **Water Act**.
- 17 That the grant of this **Consent to Establish** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 18 That the grant of this **Consent to Establish** shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This **Consent to Establish** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The project proponent will comply

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 06:13:25 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/773-774

Order No : 2025-2026/Jhunjhnu/14604

Dispatch Date: Sep 17 2025 6:13PM

Unit Id : 116070

with the provisions of the **Water Act** and to such other conditions as may, from time to time, be specified by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Establish** and project proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

Yours sincerely,

Regional Officer[Jhunjhnu]

(A): **Copy to:-**

1 Master File.

Regional Officer[Jhunjhnu]

Signature valid

Digitally signed by Anandheer Yadav
Date: 2025.09.17 06:13:25 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461



Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/775-776

Order No : 2025-2026/Jhunjhnu/14605

Date: Sep 17 2025 6:13PM

Unit Id : 116070

M/s Dhani Devi Laxman Ram Hospital (A Unit of Vivekanand Vidya Ashram Sansth

Katar Chhoti , KatarChhoti Tehsil:Bidasar

District:Churu

Sub: Consent to Operate under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974.

Ref: Your application for Consent to Operate dated 08/08/2025 and subsequent correspondence.

Sir,

Consent to Operate under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) as amended to date and rules & the orders issued thereunder **is hereby granted** for your **DHANI DEVI LAXMAN RAM HOSPITAL plant** situated at **Katar Chhoti Katar Chhoti Tehsil:Bidasar District:Churu**, Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid for a period from **08/08/2025** to **31/07/2030**.
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below:

Particular	Type	Quantity with Unit
Hospital	Service	60.00 BEDS

- 3 That this Consent to Operate is for existing plant, process & capacity and separate Consent to Establish/Operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.
- 4 That the quantity of effluent generation along with mode of disposal for the treated effluent shall be as under:

Type of effluent	Max. effluent generation (KLD)	Recycled Qty of Effluent (KLD)	Disposed Qty of effluent (KLD)and mode of disposal
Domestic Sewage	16.800	NIL	16.800 STP/CSTP/Plantation & Horticulture after pre treatment

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 13:45 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/775-776

Date: Sep 17 2025 6:13PM

Order No : 2025-2026/Jhunjhnu/14605

Unit Id : 116070

- 5 That the Domestic Sewage shall be treated before disposal so as to conform to the standards prescribed under the Environment (Protection) Act-1986 for disposal **Into Inland Surface Water**. The main parameters for regular monitoring shall be as under:

Parameters	Standards
Total Suspended Solids	Not to exceed 100 mg/l
Oil and Grease	Not to exceed 10 mg/l
Biochemical Oxygen Demand (3 days at 27°C)	Not to exceed 30 mg/l
pH Value	Between 6.5 to 9.0
Bio-assay Test	Minimum 90% survival after 96 hours with at 100% effluent
Chemical Oxygen Demand	Not to exceed 250 mg/l

- 6 It may be clarified that if hospital activities are carried on without valid consent to operate of the Board, it would be treated as violation of the provisions of Environment Protection Act-1986.
- 7 That the hospital shall submit the copy of valid agreement with CBMWTF (i.e. Instromedix Waste Management Pvt. Ltd., Jaipur) before expiry of present agreement, failing which this consent to operate shall be treated as cancelled.
- 8 That the unit shall install STP (sewerage treatment plant) for treatment of domestic waste water generated from hospital utilities.
- 9 This consent to operate is being issued on the basis of validity of membership of CBWTF and hospital shall submit a renewed copy of the CBWTF membership certificate and Annual Report (Form IV) of Biomedical Waste every year to this office.
- 10 That no Single Use Plastic (SUP) item, which is banned vide ministry of Environment, Forest and Climate Change (MOEF&CC), Government of India Notification dated 12.08.2021 shall be used in the industry/Unit premises.
- 11 That the hospital management shall continue to segregate the biomedical waste as per provisions of BMWR, as amended till date, and hand it over regularly to the operator of common Bio-Medical waste disposal facility, after due packing in color-coded bags, as prescribed in schedule IV (Rule-6) of the BMWR.

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 13:45 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/775-776

Date: Sep 17 2025 6:13PM

Order No : 2025-2026/Jhunjhnu/14605

Unit Id : 116070

- 12 That no waste water/trade effluent shall be discharged outside/within the unit premises in any case and unit shall maintain Zero discharge status.
- 13 That the HCF shall complied the Head office letter no F.14(5-Adm)Project/RSPCB/1 dated, 13.4.2024 as applicable.
- 14 That The HCF shall conduct sampling of the treated water from the STP within 70 Days of commencing operations, following the grant of this consent application.
- 15 That HCF shall maintain sewage treatment plant (STP) of 65 KLD capacity so as to treat the entire domestic waste water up to the norms prescribed.
- 16 That the total bedded capacity of the hospital shall not exceed 180 beds for which Consent to Operate under water act has been issued for 100 beds by letter No. F(Tech)/Churu(Bidasar)/7(1)/2021-2022/1290-1291 dated 14.03.2022, for 20 beds by letter No. F(Tech)/Churu(Bidasar)/7(1)/2021-2022/1051-1053 dated 05.07.2022 and for remaining 60 beds by this letter.
- 17 That the hospital shall apply for renewal of this consent to operate at least 60 days in advance prior to expiry date of this Consent letter else additional fee shall have to be deposited in accordance with the Rajasthan Water (Prevention Control of Pollution) (Amendment) Rules issued by the Department of Environment Jaipur, Notifications dated 24/06/2010, 02/01/2013, 06/02/2013, 05/06/2015 and 26/05/2016.
- 18 That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained **under Section 27(2) of the Water Act** to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of **Water Act**.
- 19 That the grant of this **Consent to Operate** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 20 That the grant of this **Consent to Operate** shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Water Act or the Rules made thereunder.
- 21 That the Project Proponent shall comply with provisions of the E-waste (Management) Rules, 2016 and ensure that e-waste generated by them is channelized through collection centre or dealer of authorized producer or dismantler or recycler or through designated take back service provider of the producer to authorized dismantler or recycler.

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 13:45 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/775-776

Order No : 2025-2026/Jhunjhnu/14605

Date: Sep 17 2025 6:13PM

Unit Id : 116070

- 22 That the Project Proponent shall maintain record of e-waste generated by them in Form-2 and make such records available for scrutiny by the Board.
- 23 That the Project Proponent shall file annual returns in Form-3, to the Board on or before the 30th day of June following the financial year to which that return relates.
- 24 That the transportation of e-waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (three copies) prepared by the sender, giving the details as per Form-6.
- 25 That the Project Proponent shall comply with provisions of the Batteries (Management and Handling) Rules, 2001 (as amended) and submit half yearly returns (as bulk consumer, importer, auctioneer, recycler as the case may be) to the State Board as provided under Rule 10 (2) (ii) of the Battery (Management and Handling) Rules, 2001 (as amended). In case the Project Proponent is not a bulk consumer even then the used batteries shall be returned to the authorized dealers or recyclers only.
- 26 That the record of batteries purchased and sold/ returned to registered dealers and/ or authorized recyclers shall be maintained and made available to the officers of the Board during inspections.

This **Consent to Operate** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The Project Proponent will comply with the provisions of the **Water Act** and to such other conditions as may, from time to time , be specified, by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Operate** and Project Proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

Yours sincerely,

Regional Officer[Jhunjhnu]

(A): **Copy to:-**

1 Master File.

Signature valid

Digitally signed by Anandheer Yadav
Date: 2025.09.17 13:45 IST
Reason: Self Attested
Location:





Regional Office Jhunjhnu
Rajasthan State Pollution Control Board
CP 1-90, Automobile Service Sector, RH-2, RIICO, Jhunjhnu
Phone: 01592-295461

Registered

File No : F(BMW)/Churu(Bidasar)/2(1)/2021-2022/775-776

Order No : 2025-2026/Jhunjhnu/14605

Unit Id : 116070

Date: Sep 17 2025 6:13PM

Regional Officer[Jhunjhnu]

Signature valid

Digitally signed by Adheer Yadav
Date: 2025.09.17 13:45 IST
Reason: Self signed
Location:

